



# 2/251 Beaumont

A geometric pattern of repeating elements that creates a vivid sense of depth through light and shadow.

## Dimensions

| Series | Uses | Dimensions (mm) | Ordernumber |
|---|---|---|---|
| C | 100 | ▲ 4200 × ► 2520 | C2251 |

**100**
100-timer formliners are supplied in an individual dimension within the maximum indicated sizes.




## Section Drawing


The drawing illustrates the cross-section of our formliner.



## Profile Continuity

Profile continuity is guaranteed at the respective maximum dimensions of the formliner.

Joint lines may occur when sections are joined. Visibility varies depending on the pattern.




**Important note:** To guarantee homogeneity of the concrete surface, it is not recommended to mix the series.

## Material

| | |
|---|---|
| MATERIAL | RECKLI PUR-Elastomer |
| TEMPERATURE LIMIT | max. 65 °C |
| WEIGHT | ≈ 23 kg/m² |
| DIMENSIONAL TOLERANCES | See Formliner Properties page for details |

# Contact

Are you an architect, planner or user looking for information materials or personal contact? Would you like to order a sample? We will be happy to respond to your individual inquiry.

info@reckli.com
+49 2323 1706-0

**RECKLI GmbH**
Industriestraße 36
44628 Herne
Germany