


# 2/156 Steinwald

A rock pattern with natural irregularities and small indentations.


## Dimensions

| Series | Uses | Dimensions (mm) | Ordernumber |
|---|---|---|---|
| C | 100 | ▲ 6000 × ► 3000 | C2156 |
| F | 50 | ▲ 6000 × ► 3000 (3 x 1000) | F2156 |
| T | 10 | ▲ 6000 × ► 3000 (3 x 1000) | T2156 |

**100**
100-timer formliners are supplied in an individual dimension within the maximum indicated sizes.


**50/10**
The specified widths of the 10-timer and 50-timer formliners are a fixed dimension and ensure the continuity of the structure in the case of linear patterns. The longitudinal direction of the pattern is variable and can be ordered from 1 m up to the maximum dimension in 10 cm steps.

Please note: The drawing shows the formliner, not the concrete view.




## Section Drawing


The drawing illustrates the cross-section of our formliner.




## Profile Continuity

No seamless profile continuity.

Please note: The drawing shows the formliner, not the concrete view.




**Important note:** To guarantee homogeneity of the concrete surface, it is not recommended to mix the series.

## Material

| | |
|---|---|
| MATERIAL | RECKLI PUR-Elastomer |
| TEMPERATURE LIMIT | max. 65 °C |
| WEIGHT | ≈ 25 kg/m² |
| DIMENSIONAL TOLERANCES | See Formliner Properties page for details |

## Contact

Are you an architect, planner or user looking for information materials or personal contact? Would you like to order a sample? We will be happy to respond to your individual inquiry.

info@reckli.com
+49 2323 1706-0

**RECKLI GmbH**
Industriestraße 36
44628 Herne
Germany