


2/258 Kuro


Tell me more

KURO is part of the FORM FOLLOWS FABRICATION collection. Our Fabrication Collection celebrates the art of forming and shaping, bringing together the essence of centuries-old craftsmanship and cutting-edge technology. Explore the story behind it in the accompanying lookbook.
KURO – Japanese for black – preserves the play of flames in a snapshot and combines the aesthetics of the Yakisugi technique with the advantages of concrete.

Dimensions


Series	Uses	Dimensions (mm)	Ordernumber
C	100	▲ 3800 × ► 2850	C2258

100
100-timer formliners are supplied in an individual dimension within the maximum indicated sizes.



Section Drawing


The drawing illustrates the cross-section of our formliner.



Profile Continuity

Profile continuity is guaranteed at the respective maximum dimensions of the formliner.

Joint lines may occur when sections are joined. Visibility varies depending on the pattern.



Important note: To guarantee homogeneity of the concrete surface, it is not recommended to mix the series.

Material

MATERIAL	RECKLI PUR-Elastomer
TEMPERATURE LIMIT	max. 65 °C
WEIGHT	≈ 13 kg/m²
DIMENSIONAL TOLERANCES	See Formliner Properties page for details

Contact

Are you an architect, planner or user looking for information materials or personal contact? Would you like to order a sample? We will be happy to respond to your individual inquiry.

info@reckli.com
+49 2323 1706-0

RECKLI GmbH
Industriestraße 36
44628 Herne
Germany